

Melbourne Augmentation Program Seawater Desalination

Feasibility Study

June 2007

Prepared by
Melbourne Water
GHD

ISBN : 0-9775858-6-7



CLIENTS | PEOPLE | PERFORMANCE



**Melbourne
Water®**

Melbourne Water

Seawater Desalination Feasibility Study

June 2007





Contents

Executive Summary	xvii
Key Terms	xviii
1. Introduction	1
1.1 Objectives and Scope of the Feasibility Study	2
1.2 Disclaimer	2
2. Seawater Desalination: Some Background Information	3
2.1 Removing Salt from Water	3
2.2 Broad Context	3
2.3 Some Technical Fundamentals of Seawater Desalination	6
2.4 Plant Sizing	7
2.5 Desalination Technology	7
2.6 Seawater Quality in Victoria	12
2.7 Seawater Desalination Infrastructure	17
3. Desalination Concepts Adopted for This Feasibility Study	24
3.1 Desalination Plant and Pre-treatment	24
3.2 Plant Buildings	25
3.3 Seawater Intake and Concentrate Outlet	25
3.4 Potabilisation	27
3.5 Transfer Pipeline	28
3.6 Concept Design Features	29
4. Environmental Considerations	32
4.1 Greenhouse Gas and Mitigation Strategies	32
4.2 Management of other Key Potential Environmental Impacts from a Seawater Desalination Plant and Associated Infrastructure	33
5. Environmental Approvals	36
5.1 Environment Protection and Biodiversity Conservation Act (EPBC Act) (Commonwealth)	36
5.2 Environment Effects Act 1978 (Victoria)	36
5.3 Planning and Environment Act 1987 (Victoria)	36
5.4 Native Title Act 1993 (Commonwealth)	37



5.5	Aboriginal Heritage Act 2006 (Victoria)	37
5.6	Heritage Act 1995 (Victoria)	37
5.7	Land Acquisition and Compensation Act 1986 (Victoria)	38
5.8	Coastal Management Act 1995 (Victoria)	38
5.9	Environment Protection (Schedules Premises and Exemptions) Regulations 1996 (Victoria)	38
5.10	State Environment Protection Policy (Waters of Victoria)	39
5.11	Fisheries Act 1995 (Victoria)	39
5.12	Flora and Fauna Guarantee Act 1988 (Victoria)	39
6.	The Importance of Site Selection	40
7.	Possible Locations	41
7.1	Selection Process	41
7.2	Melbourne's Existing Water Supply System	42
7.3	Developing a List of Locations	44
8.	Development of Short Listed Schemes	52
8.1	Potential Plant Locations	52
8.2	Seawater Inlet and Concentrate Outlet	53
8.3	Risk and Management of Possible Environmental Impacts Related to the Seawater Intake and Concentrate Outlet	53
8.4	Desalination Plant and Transfer Pipeline	54
8.5	Ecological Assessment of Notional Plant Sites and Pipeline Corridors	61
8.6	Could Water be Supplied to Local Communities	66
8.7	Environmental and Social Comparison	67
9.	Comparison of Short Listed Schemes	73
9.1	Source Water Quality	73
9.2	Geology Summary	75
9.3	Risks and Opportunities	78
9.4	A Specific Opportunity: Use of the South Eastern Outfall (SEO)	79
9.5	Cost Comparison	80
9.6	Capital Cost Comparison for Larger Schemes	81
9.7	Multi-criteria Analysis	83
9.8	Strategic Review of Locations	84
9.9	Conclusion on Site Comparison	88
10.	Project Timing	98



10.1	General Discussion	98
10.2	Risks to Timely Delivery	99
11.	Next Steps	102
11.1	Technical and Scientific Investigations	102
11.2	Planning, Land Use and Approvals	103
11.3	Further Design and Engineering	103
11.4	Procurement Strategy	104
11.5	Community Consultation and Engagement	104
12.	Conclusions	105

Figure Index

Figure 1	Historical Cost of Desalinated Water From Large SWRO Plants (Adapted from: Membrane Desalination Technology, Wilf M, 2007)	4
Figure 2	Perth Desalination Plant 45 GL/y (Permission: WA Water Corp)	5
Figure 3	Ashkelon Desalination Plant, Israel (110 GL/y, co-located with power plant)	5
Figure 4	A Typical Desalination Process	8
Figure 5	Reverse osmosis (RO) system	9
Figure 6	Melbourne's Geography	12
Figure 7	Flushing Times in Days in Port Phillip Bay (Source: Port Phillip Bay Environmental Study 1997)	13
Figure 8	Western Port marine environment [Source: Western Port Research Co-ordination Stage 1, 2003]	14
Figure 9	Intake Design Considerations	17
Figure 10	Design Considerations for Location of the Intake and Outlet	18
Figure 11	Concentrate Outlet Diffuser Head Structure	19
Figure 12	Dilution of Concentrate	20
Figure 13	Schematic of the Reverse Osmosis Desalination Process	22
Figure 14	Schematic of Intake and Outlet Tunnels and Example of Tunnel Boring Machine	25
Figure 15	Construction of a 1700 mm water main in rural and suburban areas	28
Figure 16	Reverse osmosis racks inside a large seawater desalination plant (under construction)	30



Figure 17 – Cumulative Greenhouse Impact	32
Figure 18 – Melbourne's Existing Water Supply System	42
Figure 19 – Conceptual Regional Locations	45
Figure 20 – Illustration of GIS INCA Model Process	47
Figure 21 – GIS INCA Model for Land and Ocean Features Used to Evaluate Locations	48
Figure 22 – Short List Locations	51
Figure 23 – Overview of Transfer Pipeline Corridors and System Connection Points	56
Figure 24 - Overview of Surf Coast Transfer Pipeline Corridor	57
Figure 25 - Overview of East of Port Phillip Bay Transfer Pipeline Corridor	58
Figure 26 - Overview of West of Western Port Transfer Pipeline Corridor	59
Figure 27 - Overview of Bass Coast Transfer Pipeline Corridor	60
Figure 28 –Potential Supplies to Local Communities	66
Figure 29 – Base Case Capital Cost Comparison of Short Listed Locations	80
Figure 30 – Comparison of Different Size Schemes for the Bass Coast Location	81
Figure 31 – Relative Breakdown of Operating Costs (Bass Coast)	82
Figure 32 - Multi Criteria Analysis Scores	84

