


Audit of Water Entitlement Purchases - GMW Connections Project

Report

3607-71

Prepared for
Department of Environment, Land, Water and
Planning

11 December 2018



Contact Information

Cardno (Qld) Pty Ltd

ABN 57 051 074 992

Level 11

515 St Paul's Terrace

Fortitude Valley QLD 4006

Australia

www.cardno.com

Phone +61 7 3369 9822

Fax +61 7 3369 9722

Document Information

Prepared for Department of Environment,
Land, Water and Planning

Project Name Report

File Reference 360771-REPT-01-0B - Audit
of water entitlement
purchase 2017-18.docx

Job Reference 3607-71

Date 11 December 2018

Version Number A

Author(s):



Name: Julian Barbi

Job title: Senior Consultant

Effective Date 11/12/2018

Approved By:



Name: Stephen Walker

Job title: Business Leader

Date Approved 11/12/2018

Document History

Version	Effective Date	Description of Revision	Prepared by	Reviewed by
1	7/11/2018	Draft for issue	J. Barbi	S. Walker
A	05/12/2018	Final	J. Barbi	S. Walker
B	11/12/2018	Final, minor edits	J. Barbi	S. Walker

© Cardno. Copyright in the whole and every part of this document belongs to Cardno and may not be used, sold, transferred, copied or reproduced in whole or in part in any manner or form or in or on any media to any person other than by agreement with Cardno.

This document is produced by Cardno solely for the benefit and use by the client in accordance with the terms of the engagement. Cardno does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by any third party on the content of this document.

Table of Contents

1	Introduction	1
	1.1 Background	1
	1.2 Scope of audit	1
2	Methodology	2
	2.1 Requirement for confirming WEEs	2
	2.2 Methodology	2
3	Results of reconciliation of WEEs claimed by GMW Connections Project against the Victorian Water Register	3
4	Calculation of long term diversion limit equivalent	4
5	Recommendations for improvement	5

Appendices

Appendix A WEEs held in the name of GMW Connections Project on the Victorian Water Register

Tables

Table 3-1	Results of initial reconciliation	3
Table 3-2	WEEs breakdown	3
Table 4-1	Calculation of Long Term Diversion Limit Equivalent	4

1 Introduction

1.1 Background

The Victorian State Government and the Commonwealth Government have committed significant funding for the renewal and modernisation of the Goulburn-Murray Irrigation District (GMID). The water recovery achieved through the renewal and modernisation works are to be shared between the environment, and Melbourne and irrigation customers. The works are also expected to improve the efficiency of delivery and increase the level of service provided to irrigation customers.

Goulburn-Murray Water¹ (GMW) is the owner and operator of the GMID. The GMW Connections Project forms the greater part of the modernisation of the GMID.

The water recovered (through both modernisation and water entitlement purchases) must be audited each year. The purpose of this audit is to verify the entitlement purchases managed by the GMW Connections Project in the year to 30 June 2018. The purchases are to be converted to an average equivalent water recovery - Long Term Diversion Limit Equivalent (LTDLE).

1.2 Scope of audit

The scope of work for the audit of the water entitlement purchases consists of:

- > checking that the Water Entitlement Entity (WEE) information provided by GMW Connections aligns with that recorded in the Victorian Water Register at 30 June 2018. For this purpose, GMW Connections was required to provide a register of WEE details and supporting information.
- > cross-checking the water register report from DELWP on all WEE numbers claimed by GMW Connections.
- > checking the calculations of Long Term Diversion Limit Equivalent (LTDLE) water recovery using the conversion factors provided by DELWP.

Only WEEs held in the name of GMW are to be included in the audit scope². In audits prior to 2016/17, WEEs held in the name of others were included if it could be demonstrated that the GMW Connections Project had sufficient claim to ownership of them.

¹ Goulburn-Murray Water is the trading name of the Goulburn-Murray Rural Water Corporation.

² Goulburn-Murray Water Connections Project uses a unique party identifier ("PTY") on the Victorian Water Register for WEEs managed by the Project. The PTY is used to confirm ownership of WEEs by the GMW Connections Project.

2 Methodology

2.1 Requirement for confirming WEEs

The audit scope requires that the ownership and details of the WEEs claimed by the GMW Connections Project as being in its ownership at 30 June 2018 are confirmed. Specifically, the WEEs held by the GMW Connections Project are to be cross-checked against the Victorian Water Register in the following respects:

GMW Connections Project was to provide a register of WEE details and supporting information detailing:

- > WEE number
- > water entitlement volumes related to particular WEE number
- > date of transfer recorded in the Victorian Water Register (to be no later than 30 June 2018)
- > classification of water entitlements as either high or low reliability
- > classification of water entitlements by system
- > evidence of ownership of entitlements being in the name of the GMW Connections Project (i.e. having GMW Connections PTY ID on the Victoria Water Register)
- > the project under which the entitlement was purchased
- > any additional water entitlement purchase information requested by the Auditor.

DELWP was to provide a Water Register Report on all the WEE numbers claimed by GMW Connections.

The audit also required the auditor to check the calculation of LTDLE water recovery as per the conversion factors detailed in the audit brief.

2.2 Methodology

To complete the audit, we undertook the following activities:

1. Obtained a spreadsheet from GMW Connections Project detailing its WEE holdings and relevant information about the entitlements including WEE number and volume.
2. Provided the list of WEE numbers claimed by GMW Connections Project to DELWP, and requested them to provide the volume, reliability classification, date of transfer recorded on the register, and ownership details relating to each claimed WEE number.
3. Reconciled the details provided to us by DELWP from the Victorian Water Register against the schedule provided to us by GMW Connections Project. For WEEs claimed by GMW Connections Project where the Victorian Water Register confirmed the WEE details and that the entitlement was in the GMW Connection Project's ownership, we accepted this WEE for inclusion in the calculation of the LTDLE. Where we identified discrepancies between the two data sources we investigated further to establish the correct details.
4. For all WEEs confirmed as being in the GMW Connections Project's ownership, we applied the conversion factors to the WEE volumes to determine the LTDLE. These calculations are set out in Section 4.
5. Provided a draft report to GMW Connections Project and DELWP for checking for factual accuracy and acted on the feedback received to finalise this report.

3 Results of reconciliation of WEEs claimed by GMW Connections Project against the Victorian Water Register

Initially, GMW Connection Project provided a schedule of WEEs that ring-fenced 10 WEEs which it considered were not within the scope of the audit. DELWP confirmed that these WEEs were to be included in the scope of the audit. There is also a further WEE, WEE058435 (5.2ML high reliability in the Murray System) that is registered on the Victorian Water Register in the ownership of the GMW Connections Project but has a “pending” status. The GMW Connections Project has not claimed this WEE for inclusion in the calculation of Long Term Diversion Limit Equivalent which is appropriate.

Following reconciliation between the GMW Connections Project’s schedule of claimed WEEs and the Victorian Water Register, we were able to confirm for all 235 WEEs claimed by GMW Connections Project:

- > That the WEE details were consistent with the Victorian Water Register
- > That all WEEs are held in the name of Goulburn-Murray Water for the GMW Connections Project (PTY 121425).

We did not observe any WEEs held in the name of others in our assessment.

The volume of WEEs (high reliability, low reliability) is summarised in Table 3-1.

Table 3-1 Results of initial reconciliation

Category	Low Reliability Water Share (ML)	High Reliability Water Share (ML)
Details confirmed and in name of Goulburn-Murray Water for the GMW Connections Project	5,699.5	16,036.0

No discrepancies were found in the details of the WEEs held in the name of the GMW Connections Project when comparing GMW’s records with the Victorian Water Register. Details of all WEEs held in the name of GMW Connections Project on the Victorian Water Register are included in Appendix A.

The scope of the audit requires all WEEs in the ownership of GMW to be identified. However, GMW considers that some of the WEEs in its ownership are not for the GMW Connections Project or cannot be claimed.

The WEEs in this group include:

1. Three WEEs (one 90ML high reliability, one 830 ML high reliability and one 18.9ML low reliability) are in the Broken System and are outside the GMW Connections Project area.
2. Seven of the WEEs (totalling 640.0ML of high reliability shares) are held by GMW on behalf of others.

Table 3-2 summarises this breakdown. We have not subjected this categorisation to audit.

Table 3-2 WEEs breakdown

Category	Low Reliability Water Share (ML)	High Reliability Water Share (ML)
Within scope of Connections Project	5,680.6	14,476.0
Considered by GMW to not be within the scope of the Connections Project	18.9	1,560.0
Total	5,699.5	16,036.0

4 Calculation of long term diversion limit equivalent

Following confirmation of the WEEs held by the GMW Connections Project as outlined in Section 3, the entitlement volumes have been converted into LTDLE volume in Table 4-1 using the conversion factors provided by DELWP. Note that only entitlements in the Murray and Goulburn regions are included in the project scope for the GMW Connections Project.

Table 4-1 - Calculation of Long Term Diversion Limit Equivalent³

Project / Irrigation area	Volumes of purchased WEEs		Conversion factors		Long Term Diversion Equivalent		
	Low reliability (ML)	High reliability (ML)	Low reliability (ML share / ML LTDE)	High reliability (ML share / ML LTDE)	Accruing from low reliability (ML)	Accruing from high reliability (ML)	Total (ML)
Stage 1 On-Farm Efficiency							
Goulburn System		2719.2		0.927		2,520.7	2,520.7
Murray System		1678.2		0.913		1,532.2	1,532.2
Total		4,397.40				4,052.9	4,052.9
Stage 1							
Goulburn System	1923.4	3144.8	0.546	0.927	1,050.2	2,915.2	3,965.4
Murray System	3757.2	6,933.8	0.659	0.913	2,476.0	6,330.6	8,806.6
Total	5,680.60	10,078.6			3,526.2	9,245.8	12,772.0
Total Stage 1 and Stage 1 On Farm Efficiency							
Goulburn System	1,923.4	5,864.0	0.546	0.927	1,050.2	5,435.9	6,486.1
Murray System	3,757.2	8,612.0	0.659	0.913	2,476.0	7,862.8	10,338.8
Total	5,680.60	14,476.0			3,526.2	13,298.7	16,824.9
Reconfiguration⁴							
Goulburn System		45.3		0.927		42.0	42.0
Murray System		594.7		0.913		543.0	543.0
Total		640				585.0	585.0
Total	5,680.6	15,116.0			3,526.2	13,883.6	17,409.8

³ As detailed in Section 3, two WEEs, one 90ML high reliability, one 830 ML high reliability and one 18.9ML low reliability held by GMW are in the Broken System and are outside the Connections Project area. These three WEEs are therefore not included in this table

⁴ Reconfiguration is a water savings project within the GMID that does not contribute to the Stage 1 or 2 GMW Connections Project totals. Detailed information has been provided here for DELWP reporting purposes

5 Recommendations for improvement

DELWP has made clear this year that the scope of the audit is for all WEEs held by the Goulburn-Murray Water Connections Project under its unique PTY. That is, WEEs held by GMW but outside of the Connections Project area or the scope of the Connections Project (e.g. the WEEs in the Broken system) should be documented in the audit report. GMW had ring-fenced these WEEs but for future audits, these WEEs should be put forward by GMW for the audit with a note that they are considered to be outside of the Connections Project.

APPENDIX

A

WEES HELD IN THE NAME OF GMW
CONNECTIONS PROJECT ON THE
VICTORIAN WATER REGISTER

System	WEE ID	Reliability	Volume (ML)	In the name of	Budget line
Murray	WEE000070	Low	1	GMW	Stage 1
Murray	WEE000333	Low	28.8	GMW	Stage 1
Goulburn	WEE000604	High	5	GMW	Stage 1
Murray	WEE000658	High	1	GMW	Stage 1
Goulburn	WEE000660	Low	158.4	GMW	Stage 1
Murray	WEE001603	Low	78.2	GMW	Stage 1
Goulburn	WEE002024	Low	85.4	GMW	Stage 1
Goulburn	WEE002116	High	12.8	GMW	Stage 1
Goulburn	WEE002117	Low	0.5	GMW	Stage 1
Goulburn	WEE002499	Low	42.7	GMW	Stage 1
Murray	WEE002587	High	132.1	GMW	Stage 1
Murray	WEE002588	Low	60	GMW	Stage 1
Murray	WEE002793	High	7	GMW	Stage 1
Murray	WEE002794	Low	2.9	GMW	Stage 1
Murray	WEE003192	High	92.2	GMW	Stage 1
Murray	WEE003193	Low	40.8	GMW	Stage 1
Goulburn	WEE003332	High	2	GMW	Stage 1
Murray	WEE003448	Low	26.9	GMW	Stage 1
Murray	WEE003450	Low	111.4	GMW	Stage 1
Murray	WEE003826	Low	15.4	GMW	Stage 1
Murray	WEE003886	Low	9.6	GMW	Stage 1
Goulburn	WEE004010	Low	36.5	GMW	Stage 1
Murray	WEE004066	Low	42.7	GMW	Stage 1
Goulburn	WEE004293	High	234.2	GMW	Stage 1
Goulburn	WEE004491	High	2.9	GMW	Stage 1
Goulburn	WEE005301	Low	56.6	GMW	Stage 1
Goulburn	WEE005456	Low	112.8	GMW	Stage 1
Goulburn	WEE005458	Low	81.1	GMW	Stage 1
Goulburn	WEE005485	Low	1	GMW	Stage 1
Murray	WEE005735	Low	177.1	GMW	Stage 1
Murray	WEE005769	Low	1.9	GMW	Stage 1
Murray	WEE006062	Low	60.5	GMW	Stage 1
Goulburn	WEE006173	Low	61.4	GMW	Stage 1
Murray	WEE006364	Low	10.6	GMW	Stage 1
Goulburn	WEE006477	Low	21.1	GMW	Stage 1
Murray	WEE006789	Low	2.9	GMW	Stage 1
Goulburn	WEE006962	High	21.1	GMW	Stage 1
Goulburn	WEE006963	Low	9.6	GMW	Stage 1
Murray	WEE007301	Low	8.2	GMW	Stage 1
Murray	WEE007308	High	5	GMW	Stage 1
Murray	WEE007309	Low	1.9	GMW	Stage 1
Goulburn	WEE007439	Low	104.2	GMW	Stage 1
Murray	WEE007803	High	118.4	GMW	Stage 1

System	WEE ID	Reliability	Volume (ML)	In the name of	Budget line
Murray	WEE007804	Low	53.8	GMW	Stage 1
Goulburn	WEE008211	Low	9.1	GMW	Stage 1
Murray	WEE008496	Low	43.7	GMW	Stage 1
Goulburn	WEE008625	High	16	GMW	Reconfiguration
Murray	WEE008883	High	309.2	GMW	Stage 1
Murray	WEE008884	High	161	GMW	Stage 1
Murray	WEE009159	Low	12	GMW	Stage 1
Murray	WEE009379	High	36.1	GMW	Stage 1
Murray	WEE009380	Low	16.3	GMW	Stage 1
Murray	WEE009619	High	83.3	GMW	Stage 1
Murray	WEE009620	Low	37.9	GMW	Stage 1
Goulburn	WEE009629	High	1	GMW	Reconfiguration
Goulburn	WEE010074	High	63.2	GMW	Stage 1
Murray	WEE010266	High	63	GMW	Stage 1
Murray	WEE010267	Low	23	GMW	Stage 1
Murray	WEE010590	High	10.8	GMW	Stage 1
Murray	WEE010676	High	315.5	GMW	Stage 1
Murray	WEE010677	Low	143.5	GMW	Stage 1
Murray	WEE010931	Low	9.6	GMW	Stage 1
Goulburn	WEE011172	High	188.5	GMW	Stage 1
Goulburn	WEE011173	Low	84.5	GMW	Stage 1
Murray	WEE011503	High	102.5	GMW	Stage 1
Murray	WEE011504	Low	46.6	GMW	Stage 1
Goulburn	WEE011586	High	3	GMW	Stage 1
Goulburn	WEE011613	High	152.4	GMW	Stage 1
Goulburn	WEE011614	Low	68.2	GMW	Stage 1
Goulburn	WEE011634	Low	0.5	GMW	Stage 1
Murray	WEE011920	Low	40.3	GMW	Stage 1
Murray	WEE011935	High	131	GMW	Stage 1
Murray	WEE011950	Low	106.1	GMW	Stage 1
Goulburn	WEE012418	High	25.3	GMW	Stage 1
Goulburn	WEE012419	Low	11.5	GMW	Stage 1
Murray	WEE012646	Low	39.4	GMW	Stage 1
Murray	WEE012652	Low	54.2	GMW	Stage 1
Goulburn	WEE012657	High	449.5	GMW	Stage 1
Murray	WEE013017	High	10	GMW	Stage 1
Murray	WEE013018	Low	4.3	GMW	Stage 1
Goulburn	WEE013094	High	86	GMW	Stage 1
Goulburn	WEE013095	Low	38.4	GMW	Stage 1
Goulburn	WEE013357	Low	287	GMW	Stage 1
Murray	WEE013417	High	226.2	GMW	Stage 1
Murray	WEE013418	Low	105.1	GMW	Stage 1
Murray	WEE013482	Low	45.1	GMW	Stage 1
Murray	WEE013556	Low	56.6	GMW	Stage 1

System	WEE ID	Reliability	Volume (ML)	In the name of	Budget line
Murray	WEE013754	High	141.6	GMW	Stage 1
Murray	WEE013755	Low	64.3	GMW	Stage 1
Murray	WEE013814	High	118.5	GMW	Stage 1
Murray	WEE013815	Low	53.8	GMW	Stage 1
Goulburn	WEE014583	Low	58.1	GMW	Stage 1
Murray	WEE016327	Low	26.9	GMW	Stage 1
Murray	WEE016791	Low	70.1	GMW	Stage 1
Goulburn	WEE016827	High	11.7	GMW	Reconfiguration
Goulburn	WEE016856	Low	84.5	GMW	Stage 1
Murray	WEE020784	Low	56.2	GMW	Stage 1
Murray	WEE021963	High	1	GMW	Stage 1
Goulburn	WEE022539	High	2	GMW	Stage 1
Broken	WEE023553	High	90	GMW	Broken shares
Broken	WEE023554	Low	18.9	GMW	Broken shares
Murray	WEE024092	Low	50.9	GMW	Stage 1
Murray	WEE024473	Low	55.2	GMW	Stage 1
Goulburn	WEE024671	High	196.3	GMW	Stage 1
Goulburn	WEE024672	Low	88.3	GMW	Stage 1
Goulburn	WEE024802	Low	38.4	GMW	Stage 1
Murray	WEE025433	Low	49.4	GMW	Stage 1
Murray	WEE027059	Low	38.9	GMW	Stage 1
Murray	WEE027121	High	244.9	GMW	Stage 1
Murray	WEE027122	Low	111.8	GMW	Stage 1
Murray	WEE027542	Low	21.6	GMW	Stage 1
Murray	WEE028063	High	48.9	GMW	Stage 1
Murray	WEE028064	Low	21.6	GMW	Stage 1
Murray	WEE028096	Low	112.8	GMW	Stage 1
Goulburn	WEE028099	High	6.9	GMW	Stage 1
Goulburn	WEE028101	High	359.6	GMW	Stage 1
Murray	WEE028520	Low	14.4	GMW	Stage 1
Murray	WEE028522	Low	111.4	GMW	Stage 1
Murray	WEE028998	High	30	GMW	Stage 1
Murray	WEE028999	Low	9.6	GMW	Stage 1
Goulburn	WEE029674	High	57	GMW	Stage 1
Goulburn	WEE029675	Low	24	GMW	Stage 1
Murray	WEE030444	Low	68.2	GMW	Stage 1
Goulburn	WEE030596	High	124.4	GMW	Stage 1
Murray	WEE031109	High	12.1	GMW	Stage 1
Broken	WEE031706	High	830	GMW	Special project
Murray	WEE034800	High	4	GMW	Stage 1
Murray	WEE036174	High	162.5	GMW	Stage 1
Murray	WEE037267	High	2.1	GMW	Stage 1
Goulburn	WEE039164	High	7.6	GMW	Stage 1
Murray	WEE042969	High	100.5	GMW	Stage 1

System	WEE ID	Reliability	Volume (ML)	In the name of	Budget line
Murray	WEE043001	High	270	GMW	Stage 1
Goulburn	WEE043302	Low	39.4	GMW	Stage 1
Murray	WEE045455	High	40.1	GMW	Stage 1
Goulburn	WEE046119	High	2.2	GMW	Stage 1
Murray	WEE046467	High	19.6	GMW	Stage 1
Murray	WEE047639	High	18	GMW	Stage 1
Goulburn	WEE047844	High	20	GMW	Stage 1
Goulburn	WEE047846	High	20	GMW	Stage 1
Murray	WEE048037	Low	13	GMW	Stage 1
Murray	WEE048488	High	52	GMW	Stage 1
Murray	WEE048490	High	17	GMW	Stage 1
Murray	WEE048492	High	44.6	GMW	Stage 1
Goulburn	WEE048902	High	250	GMW	Stage 1
Murray	WEE048963	High	77.5	GMW	Stage 1
Goulburn	WEE049877	High	5.2	GMW	Reconfiguration
Murray	WEE050632	High	98	GMW	On-farm efficiency
Murray	WEE050689	High	71	GMW	On-farm efficiency
Goulburn	WEE050769	High	46	GMW	On-farm efficiency
Goulburn	WEE050876	High	16	GMW	Stage 1
Murray	WEE050931	High	58.5	GMW	Stage 1
Murray	WEE050997	High	45	GMW	On-farm efficiency
Goulburn	WEE051040	High	1.4	GMW	Stage 1
Murray	WEE051087	High	49	GMW	On-farm efficiency
Murray	WEE051094	High	2	GMW	Stage 1
Murray	WEE051096	High	72.7	GMW	Stage 1
Murray	WEE051192	High	7.5	GMW	Stage 1
Murray	WEE051268	Low	39.9	GMW	Stage 1
Murray	WEE051298	High	53	GMW	Stage 1
Goulburn	WEE051302	High	2.1	GMW	Stage 1
Goulburn	WEE051411	High	137	GMW	On-farm efficiency
Goulburn	WEE051568	High	40	GMW	On-farm efficiency
Goulburn	WEE051621	High	50	GMW	Stage 1
Murray	WEE051630	Low	30	GMW	Stage 1
Murray	WEE051720	Low	144	GMW	Stage 1
Goulburn	WEE051827	High	189.4	GMW	Stage 1
Murray	WEE051868	High	205.2	GMW	Stage 1
Goulburn	WEE052188	Low	213	GMW	Stage 1
Goulburn	WEE052384	High	11.4	GMW	Reconfiguration
Goulburn	WEE052462	High	1	GMW	Stage 1
Goulburn	WEE052638	High	2.4	GMW	Stage 1
Goulburn	WEE053348	High	28	GMW	Stage 1
Goulburn	WEE053943	High	49	GMW	Stage 1
Goulburn	WEE054474	High	12.7	GMW	Stage 1
Goulburn	WEE055333	High	230	GMW	Stage 1

System	WEE ID	Reliability	Volume (ML)	In the name of	Budget line
Murray	WEE055607	High	98.1	GMW	Stage 1
Murray	WEE055748	Low	1.2	GMW	Stage 1
Murray	WEE056753	Low	379.3	GMW	Stage 1
Murray	WEE056754	High	552.7	GMW	Reconfiguration
Goulburn	WEE056853	High	13	GMW	Stage 1
Goulburn	WEE056854	High	2	GMW	Stage 1
Murray	WEE057037	High	12	GMW	Stage 1
Murray	WEE057039	High	124.3	GMW	Stage 1
Murray	WEE057043	High	91.1	GMW	Stage 1
Murray	WEE057045	High	121.1	GMW	Stage 1
Murray	WEE057052	High	57.4	GMW	Stage 1
Goulburn	WEE057058	High	200	GMW	Stage 1
Goulburn	WEE057060	Low	100	GMW	Stage 1
Murray	WEE057099	High	166.8	GMW	Stage 1
Murray	WEE057127	High	108.6	GMW	Stage 1
Murray	WEE057129	High	21.7	GMW	Stage 1
Murray	WEE057145	High	19.8	GMW	Stage 1
Murray	WEE057147	High	103.8	GMW	Stage 1
Murray	WEE057149	High	3	GMW	Stage 1
Murray	WEE057177	High	300	GMW	Stage 1
Murray	WEE057181	High	5	GMW	Stage 1
Murray	WEE057193	High	29.8	GMW	Stage 1
Murray	WEE057195	High	81.6	GMW	Stage 1
Murray	WEE057201	High	208.5	GMW	Stage 1
Murray	WEE057214	High	19.7	GMW	Stage 1
Murray	WEE057235	High	146.8	GMW	Stage 1
Murray	WEE057239	High	3	GMW	Stage 1
Murray	WEE057247	High	153.3	GMW	Stage 1
Murray	WEE057251	High	110.4	GMW	Stage 1
Murray	WEE057253	High	91.2	GMW	Stage 1
Murray	WEE057291	High	61.1	GMW	Stage 1
Murray	WEE057330	High	615	GMW	On-farm efficiency
Murray	WEE057409	High	800.2	GMW	On-farm efficiency
Goulburn	WEE057413	High	2496.2	GMW	On-farm efficiency
Murray	WEE057579	High	55	GMW	Stage 1
Murray	WEE057585	High	2.5	GMW	Stage 1
Murray	WEE057587	High	22.4	GMW	Stage 1
Murray	WEE057731	High	4	GMW	Stage 1
Murray	WEE057925	High	165	GMW	Stage 1
Murray	WEE058046	High	12.9	GMW	Stage 1
Murray	WEE058435	High	5.2	GMW	This WEE is pending and is therefore not allocated to any project
Murray	WEE058666	High	50	GMW	Stage 1
Murray	WEE058667	High	50	GMW	Stage 1

System	WEE ID	Reliability	Volume (ML)	In the name of	Budget line
Murray	WEE058668	High	46.6	GMW	Stage 1
Goulburn	WEE058778	High	17.6	GMW	Stage 1
Murray	WEE058977	High	42	GMW	Reconfiguration
Murray	WEE059553	Low	300.8	GMW	Stage 1
Goulburn	WEE059557	High	0.9	GMW	Stage 1
Murray	WEE059896	High	151.4	GMW	Stage 1
Murray	WEE059902	High	39.2	GMW	Stage 1
Goulburn	WEE060113	High	17.2	GMW	Stage 1
Murray	WEE060126	High	2	GMW	Stage 1
Murray	WEE060861	High	96.9	GMW	Stage 1
Murray	WEE061388	High	1.3	GMW	Stage 1
Murray	WEE063320	High	31.6	GMW	Stage 1
Murray	WEE063321	High	93.1	GMW	Stage 1
Murray	WEE063322	High	363.7	GMW	Stage 1
Murray	WEE063323	Low	14.4	GMW	Stage 1
Murray	WEE063324	Low	379.2	GMW	Stage 1
Goulburn	WEE065950	Low	7.2	GMW	Stage 1
Goulburn	WEE065973	High	20.2	GMW	Stage 1